

Cancer By Site for Race

Percent Distribution of Cancer by Race

Bladder

Breast (Female)

Cervix

Colorectal

Endometrium

Kidney & Renal Pelvis

Leukemia

Liver

Lung

Melanoma of the Skin

Non-Hodgkin' s Lymphoma

Oral Cavity & Pharynx

Pancreas


Prostate

Stomach


Thyroid

Percent Distribution of Cancer

1995-1997 Cancer Incidence of Washington State Residents, Asian/Pacific Islander




1995-1997 Cancer Mortality of Washington State Residents, Asian/Pacific Islander




Percent Distribution of Cancer

1995-1997 Cancer Incidence of Washington State Residents, Black




1995-1997 Cancer Mortality of Washington State Residents, Black




Percent Distribution of Cancer

1995-1997 Cancer Incidence of Washington State Residents, White



1995-1997 Cancer Mortality of Washington State Residents, White




Bladder

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C67.0-C67.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 188.0-188.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	13	6.6	7.1
Black	7	7.0	9.1
White	1,061	18.3	17.0



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	1	n/c	n/a
Black	2	n/c	3.1
White	214	3.3	3.3



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Bladder

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	98.6%	47.7%	57.5%
Black	89.9%	28.9%	17.7%
White	91.8%	42.8%	57.1%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Breast (Female)

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C50.0-C50.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 174.0-174.9.

1995-1997 Washington State Female Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	122	79.8	92.8
Black	73	122.2	116.7
White	4,169	142.6	134.2



1995-1997 Washington State Female Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	16	10.3	n/a
Black	21	35.4	30.8
White	752	24.0	24.0



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Breast (Female)

1995-1997 Washington State Female Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	98.5%	68.9%	54.6%
Black	91.2%	52.1%	44.0%
White	97.0%	68.6%	48.0%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Cervix (Uterine)

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C53.0-C53.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 180.0-180.9.

1995-1997 Washington State Female Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	21	12.3	10.6
Black	5	5.8	10.5
White	190	6.3	8.0



1995-1997 Washington State Female Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	4	3.3	n/a
Black	1	n/c	5.2
White	58	1.9	2.4



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Cervix (Uterine)

1995-1997 Washington State Female Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	94.1%	42.6%	60.7%
Black	82.5%	33.7%	43.1%
White	90.9%	43.3%	58.7%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Colorectal

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C18.0-C18.9, C19.9, C20.9, C26.0 and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 153.0-154.1, 159.0.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	70	32.0	40.4
Black	53	53.1	49.6
White	2,512	43.0	43.8



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	24	10.9	n/a
Black	25	26.5	22.5
White	940	15.4	16.4



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Colorectal

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	90.6%	45.1%	25.1%
Black	81.2%	35.2%	27.9%
White	90.6%	45.6%	28.7%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Endometrium

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C54.0-C54.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 182.0-182.1, 182.8.

1995-1997 Washington State Female Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	17	12.2	14.6
Black	6	13.0	16.1
White	654	22.6	22.5



1995-1997 Washington State Female Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	1	n/c	n/a
Black	1	n/c	5.9
White	54	1.5	3.1



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Endometrium

1995-1997 Washington State Female Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	94.4%	55.9%	65.1%
Black	80.8%	20.5%	56.9%
White	97.0%	48.2%	45.1%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Kidney and Renal Pelvis

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C64.9, C65.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 189.0, 189.1.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	13	5.4	5.5
Black	16	13.7	10.4
White	519	9.5	9.3



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	6	2.7	n/a
Black	3	2.4	3.5
White	194	3.4	3.6



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Kidney and Renal Pelvis

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	78.0%	37.1%	42.2%
Black	78.1%	30.8%	29.3%
White	89.6%	35.6%	19.8%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Leukemia

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using all primary sites with morphology codes 9800-9941. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 204.0-208.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	14	5.7	7.4
Black	11	8.2	7.9
White	588	10.6	9.8



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	6	2.4	n/a
Black	8	6.3	6.1
White	384	6.5	6.4



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Leukemia

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	n/a	33.1%	n/a
Blacks	n/a	35.1%	n/a
Whites	n/a	42.8%	n/a

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Liver

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 code C22.0, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 155.0, 155.2.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	26	10.9	10.2
Black	7	5.8	4.9
White	124	2.2	2.9



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	23	9.6	
Black	5	4.7	4.3
White	115	2.0	2.6



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Liver

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	15.8%	3.8%	3.1%
Black	14.8%	3.5%	n/a
White	19.6%	5.3%	3.4%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Lung and Bronchus

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C34.0-C34.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 162.2-162.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	65	29.3	34.4
Black	73	73.1	69.0
White	3,259	58.9	52.5



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	55	25.0	
Black	59	61.4	58.3
White	2,764	48.8	48.6



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Lung and Bronchus

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	42.4%	8.8%	5.3%
Black	42.2%	7.6%	7.0%
White	47.8%	8.2%	6.2%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Melanoma of the Skin

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C44.0-C44.9, with morphology codes 8720-8790. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 172.0-172.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	3	1.1	1.5
Black	1	n/c	1.3
White	1,441	25.5	22.2



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	1	n/c	n/a
Black	1	n/c	0.3
White	157	2.7	0.4



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Melanoma of the Skin

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	84.4%	25.3%	36.5%
Black	98.3%	n/a	n/a
White	97.2%	44.1%	65.7%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.

Non-Hodgkin's Lymphoma


DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using all primary sites with morphology codes 9590-9595, 9670-9719. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 000.0-000.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹

	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	24	10.2	10.3
Black	21	15.0	11.6
White	942	16.4	16.1

WA State Age-Adjusted Rate per 100,000 with 95% Confidence Intervals




1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	9	4.6	n/a
Black	8	7.1	5.1
White	423	7.0	7.2

WA State Age-Adjusted Rate per 100,000 with 95% Confidence Intervals



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Non-Hodgkin's Lymphoma

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	67.5%	41.0%	44.7%
Black	49.7%	35.8%	53.2%
White	61.9%	43.6%	50.2%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.

Oral Cavity and Pharynx


DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C00.0-C14.8, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 140.0-149.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹

	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	13	5.0	8.1
Black	10	9.4	12.7
White	565	10.3	9.7

WA State Age-Adjusted Rate per 100,000 with 95% Confidence Intervals




1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	4	1.5	n/a
Black	2	2.5	4.3
White	148	2.6	2.4

WA State Age-Adjusted Rate per 100,000 with 95% Confidence Intervals



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Oral Cavity and Pharynx

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	79.1%	52.8%	47.8%
Black	76.8%	25.4%	24.3%
White	82.9%	41.8%	36.8%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Pancreas

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C25.0-C25.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 157.0-157.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	16	7.2	7.2
Black	15	15.8	12.4
White	487	8.2	8.2



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	15	7.0	n/a
Black	15	16.3	11.6
White	505	8.4	8.0



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Pancreas

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	17.7%	4.6%	4.7%
Black	12.0%	2.3%	5.9%
White	20.4%	3.1%	3.4%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Prostate

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 code C61.9, and excluding benign neoplasms. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 code 185.

1995-1997 Washington State Male Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	52	60.5	70.3
Black	90	199.0	203.8
White	3,136	127.9	125.5



1995-1997 Washington State Male Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	10	12.7	n/a
Black	17	50.3	53.7
White	586	21.9	22.0



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Prostate

1995-1997 Washington State Male Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	95.9%	81.3%	84.9%
Black	98.8%	68.9%	81.7%
White	102.0%	84.7%	85.8%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Stomach

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 codes C16.0-C16.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 codes 151.0-151.9.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	30	13.6	14.3
Black	10	9.0	11.3
White	290	4.9	6.2



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	19	8.8	n/a
Black	8	7.5	7.7
White	205	3.4	3.5



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Stomach

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	76.6%	16.3%	21.2%
Black	50.8%	7.9%	23.9%
White	54.1%	10.4%	9.7%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.


Thyroid

DATA DEFINITIONS: **Incidence data** were obtained from the Washington State Cancer Registry using primary site ICD-0 code C73.9, and excluding morphology codes 9590-9970. **Mortality data** were obtained from Washington State death certificates using the underlying cause of death ICD-9 code 193.

1995-1997 Washington State Residents

Average Annual Incidence and Age-Adjusted Rates¹


	Washington New Cases Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	21	6.9	5.9
Black	5	2.5	2.8
White	317	5.6	5.5



1995-1997 Washington State Residents

Average Annual Mortality and Age-Adjusted Rates¹

	Washington Deaths Average/Year	Washington Age-Adjusted Rate	1996 National Age-Adjusted Rate
A/PI ²	1	n/c	n/a
Black	0	n/c	0.3
White	18	0.3	0.4



¹ Rate per 100,000 persons standardized to the 1970 US Standard Population


² Asian/Pacific Islander: National mortality rates were not available.

n/c Rate not calculated when there were five or fewer cases for the period 1995-1997.

Thyroid

1995-1997 Washington State Residents

Stage At Diagnosis



National Survival Rates 1996 US 5-Year Survival Rates


	In Situ/ Local	Regional/ Distant	Unstaged
A/PI	99.6%	85.3%	85.9%
Black	101.4%	84.8%	64.1%
White	99.4%	85.8%	79.1%

n/c Rate not calculated when there were 15 or fewer total cases for the period 1995-1997.

1992-1997 Washington State Residents

Incidence Rates Trends¹


Age-adjusted rate standardized to 1970 US Standard Population



1992-1997 Washington State Residents

Mortality Rates Trends¹

Age-adjusted rate standardized to 1970 US Standard Population



¹ Rates not calculated or displayed when there were five or fewer cases for the period 1995-1997.